

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Reviewed on 06/22/2016

1 Identification

· Product Identifier

- Trade name: TekTop 100% Solvent-Free Silicone RTV
- *Relevant identified uses of the substance or mixture and uses advised against:* No further relevant information
- · Product Description 100% Solvent-Free Silicone RTV Roof Coating
- Details of the Supplier of the Safety Data Sheet:
 Manufacturer/Supplier: SIMIRON
 32700 Industrial Drive
 Madison Heights, MI 48071
 Phone: (248) 686-3600
 Fax: (248) 677-9325
 www.simiron.com
- · Emergency telephone number: 800-535-5053

2 Hazard(s) Identification

· Classification of the substance or mixture:

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements:

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Warning

• *Hazard-determining components of labeling:* Hydroxy terminated polydimethylsiloxane

Titanium Dioxide

butan-2-one O,O',O"-(methylsilylidyne)trioxime

· Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Reviewed on 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

	-	
H317 May cause	an allergic skin reaction.	
H351 Suspected	of causing cancer.	
H335 May cause	respiratory irritation.	
H373 May cause	damage to organs through prolonged or repeated exposure.	
· Precautionary s		
P260	Do not breathe dust/fume/gas/mist/vapors/spray.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves.	
P280	Wear eye protection / face protection.	
P264	Wash thoroughly after handling.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P312	Call a POISON CENTER/doctor if you feel unwell.	
P363	Wash contaminated clothing before reuse.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P314	Get medical advice/attention if you feel unwell.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P501	Dispose of contents/container in accordance with local/regional/national/international	
	regulations.	
 Unknown acute 	toxicity:	
49 % of the mixture consists of component(s) of unknown toxicity.		

49 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Non-hazardous components:

68909-20-6 Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica

1-5%

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Reviewed on 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

Chemical characterization: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

Components:	
Hydroxy terminated polydimethylsiloxane	30-40%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
Calcium Carbonate	30-40%
Titanium Dioxide	5-10%
🚸 Carc. 2, H351; 🚸 Acute Tox. 4, H332	
	1-5%
🚸 Acute Tox. 3, H311; 🚸 STOT RE 2, H373; 🚸 Eye Irrit. 2, H319; Skin Sens. 1, H317	
	Components: Hydroxy terminated polydimethylsiloxane ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Calcium Carbonate Titanium Dioxide ♦ Carc. 2, H351; ♦ Acute Tox. 4, H332 butan-2-one O,O',O''-(methylsilylidyne)trioxime ♦ Acute Tox. 3, H311; ♦ STOT RE 2, H373; ♦ Eye Irrit. 2, H319; Skin Sens. 1, H317

• Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

First-Aid Measures

Description of first aid measures:

General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• After eve contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If swallowed and symptoms occur, consult a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media:
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:
- Ensure adequate ventilation.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

• Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

• Additional information about design of technical systems: No further data; see section 7.

• Control parameters:

Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1317-65-3 Calcium Carbonate

NIOSH	Short-term value: 5 mg/m ³ Long-term value: 10 mg/m ³
NIOSH TWA	Short-term value: 5 mg/m ³ Long-term value: 10 mg/m ³ espirable dust
OSHA	Short-term value: 5 mg/m ³ Long-term value: 15 mg/m ³
OSHA TWA	Short-term value: 5 mg/m ³ Long-term value: 15 mg/m ³ espirable fraction

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls:

Personal protective equipment:

• General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

Reviewed on 06/22/2016



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Reviewed on 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Upper:

· Vapor pressure:

Tightly sealed goggles

9 Physical and Chemical Properties		
 Information on basic physical and General Information Appearance: 		
Form: Color:	Liquid White	
· Odor:	Not determined	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. 205 °C (401 °F)	
· Flash point:	205 °C (401 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits: Lower:	Not determined.	

Not determined.

Not determined.

(Contd. on page 6)

Page 5/10



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Reviewed on 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

 Density @ 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	1.34 g/cm³ (11.182 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with: Water:	Fully miscible.
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: Other information: 	0.0 % No further relevant information available.

0 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

1317-65-3 Calcium Carbonate

Oral LD50 6450 mg/kg (rat)

13463-67-7 Titanium Dioxide

Oral	LD50	>10000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

· Primary irritant effect:

• On the skin:

Irritant to skin and mucous membranes.

May cause an allergic skin reaction.

- · On the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Reviewed on 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

· Carcinogenic categories:

IARC (International Agency for Research on Cancer):

(a) Although IARC has classified titanium dioxide as possible carcinogenic to human (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products which titanium dioxide is bound to other materials, such as in cosmetics or in paints."

(b) OSHA does not regulate Titanium Dioxide as a carcinogen. However, under 29 CFR 1910.1200 the SDS must convey the fact that Titanium Dioxide is a potential carcinogen to rats.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

13463-67-7 Titanium Dioxide

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

· Toxicity:

· Aquatic toxicity:

13463-67-7 Titanium Dioxide

EC50 >1000 mg/l (Water flea)

- Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

3 Disposal Considerations

- Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

- · UN-Number:
- · DOT, ADR, IMDG, IATA

2B



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Reviewed on 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

 UN proper shipping name: DOT, ADR, IMDG, IATA Transport hazard class(es): 	Non-Regulated Material	
· DOT, ADR, IMDG, IATA · Class: · Packing group:	Non-Regulated Material	
· DOT, ADR, IMDG, IATA	Non-Regulated Material	
Environmental hazards:	Not applicable.	
 Special precautions for user: 	Not applicable.	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code:	Not applicable.	
• UN "Model Regulation":	Non-Regulated Material	
15 Regulatory Information		
• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):		
• Section 355 (extremely hazardous sub	stances):	
None of the ingredients are listed.		

• Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

• California Proposition 65:

· Chemicals known to cause cancer:

13463-67-7 Titanium Dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List: 1317-65-3 Calcium Carbonate

13463-67-7 Titanium Dioxide

• New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

· Pennsylvania Right-to-Know List:

1317-65-3 Calcium Carbonate

13463-67-7 Titanium Dioxide

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

A4

Reviewed on 06/22/2016

Issue date 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

- · Carcinogenic categories:
- EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

13463-67-7 Titanium Dioxide

· NIOSH-Ca (National Institute for Occupational Safety and Health):

13463-67-7 Titanium Dioxide

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms:*



· Signal word: Warning

· Hazard-determining components of labeling:

Hydroxy terminated polydimethylsiloxane

Titanium Dioxide

butan-2-one O,O',O"-(methylsilylidyne)trioxime

- Hazard statements:
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves.
- P280 Wear eye protection / face protection.
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P363 Wash contaminated clothing before reuse.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P302+P352 IF ON SKIN: Wash with plenty of water.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/22/2016

Trade name: TekTop 100% Solvent-Free Silicone RTV

P362+P364 P405	Take off contaminated clothing and wash it before reuse. Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 06/22/2016 / -

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity – Category 2 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

Reviewed on 06/22/2016